



REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

Circuits (n)	Part No.	Dimensions(in/mm)		Circuits (n)	Part No.	Dimensions(in/mm)	
		A	B			A	B
4	FPH20062-D04BXXXXXXXXX00B	.079(2.00)	.157(4.00)	44	FPH20062-D44BXXXXXXXXX00B	1.654(42.00)	1.732(44.00)
6	FPH20062-D06BXXXXXXXXX00B	.157(4.00)	.236(6.00)	46	FPH20062-D46BXXXXXXXXX00B	1.732(44.00)	1.811(46.00)
8	FPH20062-D08BXXXXXXXXX00B	.236(6.00)	.315(8.00)	48	FPH20062-D48BXXXXXXXXX00B	1.811(46.00)	1.890(48.00)
10	FPH20062-D10BXXXXXXXXX00B	.315(8.00)	.394(10.00)	50	FPH20062-D50BXXXXXXXXX00B	1.890(48.00)	1.969(50.00)
12	FPH20062-D12BXXXXXXXXX00B	.394(10.00)	.472(12.00)	52	FPH20062-D52BXXXXXXXXX00B	1.969(50.00)	2.047(52.00)
14	FPH20062-D14BXXXXXXXXX00B	.472(12.00)	.551(14.00)	54	FPH20062-D54BXXXXXXXXX00B	2.047(52.00)	2.126(54.00)
16	FPH20062-D16BXXXXXXXXX00B	.551(14.00)	.630(16.00)	56	FPH20062-D56BXXXXXXXXX00B	2.126(54.00)	2.205(56.00)
18	FPH20062-D18BXXXXXXXXX00B	.630(16.00)	.709(18.00)	58	FPH20062-D58BXXXXXXXXX00B	2.205(56.00)	2.283(58.00)
20	FPH20062-D20BXXXXXXXXX00B	.709(18.00)	.787(20.00)	60	FPH20062-D60BXXXXXXXXX00B	2.283(58.00)	2.362(60.00)
22	FPH20062-D22BXXXXXXXXX00B	.787(20.00)	.866(22.00)	62	FPH20062-D62BXXXXXXXXX00B	2.362(60.00)	2.441(62.00)
24	FPH20062-D24BXXXXXXXXX00B	.866(22.00)	.945(24.00)	64	FPH20062-D64BXXXXXXXXX00B	2.441(62.00)	2.520(64.00)
26	FPH20062-D26BXXXXXXXXX00B	.945(24.00)	1.024(26.00)	66	FPH20062-D66BXXXXXXXXX00B	2.520(64.00)	2.598(66.00)
28	FPH20062-D28BXXXXXXXXX00B	1.024(26.00)	1.102(28.00)	68	FPH20062-D68BXXXXXXXXX00B	2.598(66.00)	2.677(68.00)
30	FPH20062-D30BXXXXXXXXX00B	1.102(28.00)	1.181(30.00)	70	FPH20062-D70BXXXXXXXXX00B	2.677(68.00)	2.756(70.00)
32	FPH20062-D32BXXXXXXXXX00B	1.181(30.00)	1.260(32.00)	72	FPH20062-D72BXXXXXXXXX00B	2.756(70.00)	2.835(72.00)
34	FPH20062-D34BXXXXXXXXX00B	1.260(32.00)	1.339(34.00)	74	FPH20062-D74BXXXXXXXXX00B	2.835(72.00)	2.913(74.00)
36	FPH20062-D36BXXXXXXXXX00B	1.339(34.00)	1.417(36.00)	76	FPH20062-D76BXXXXXXXXX00B	2.913(74.00)	2.992(76.00)
38	FPH20062-D38BXXXXXXXXX00B	1.417(36.00)	1.496(38.00)	78	FPH20062-D78BXXXXXXXXX00B	2.992(76.00)	3.071(78.00)
40	FPH20062-D40BXXXXXXXXX00B	1.496(38.00)	1.575(40.00)	80	FPH20062-D80BXXXXXXXXX00B	3.071(78.00)	3.150(80.00)
42	FPH20062-D42BXXXXXXXXX00B	1.575(40.00)	1.654(42.00)				



 THIRD ANGLE PROJECTION		GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 23/DEC/19	PART NO. FPH20062-DXXBXXXXXXXXX00B	ITEM NO. FPH20062	 3K-KAMING®	
		X.±.012(0.30)	X'.±5'	CHECKED BY CHERRY	DATE 23/DEC/19	TITLE Board to Board(Pin Header) Pitch 2.00mm 90° Angle(DIP)			
DESIGN UNITS Inch (metric)		X.X±.008(0.20)	.X'±2'	DRAWN BY ZOEY	DATE 23/DEC/19	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO DONG GUAN LANG LUN(3K-KAMING) ELECTRONIC PRODUCTS CO.,LTD. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		REV 0	SHEET NO. 3/3
		X.XX±.006(0.15)	.XX'±1'						
SCALE 5:1	SIZE A4	X.XXX±.004(0.10)	.XXX'±0.5'						